

# GEV Product Index

(Edition 20.09.2022)



Product	Product group for application form	Chapter Testing Method
<b>A</b>		
Additives for mineral levelling compounds (dispersion-based)	1.2	3.2.1.2
Additives for mineral tile mortars (dispersion-based)	1.2	3.2.1.2
Adhesive tapes	4.2	3.2.1.8
Adhesives (ready-to-use, low-viscous)	1.2	3.2.1.2
Anti-slip coatings	1.2	3.2.1.2
Assembly adhesives (pasty)	3.1	3.2.1.3
Assembly foams	5.2	3.2.2.2
<b>B</b>		
Barrier primers (water-based, 1-component)	1.1.1	3.2.1.1
Barrier primers (water-free)	1.1.2	3.2.1.2
Base plasters for indoor applications (mineral- or gypsum-based)	8.1	3.2.3.1
Binders for granule flooring (e.g. quartz pebble flooring)	1.3	3.2.1.2
Binders for synthetic resin screeds	1.3	3.2.1.2
Bonded waterproofing (powder products)	2.6	3.2.1.3
Bonded waterproofing under tiles (dispersion- or reactive resin-based products)	3.3	3.2.1.3
Bonding courses (dispersion-based)	1.2	3.2.1.2
Bonding courses (powders)	2.7	3.2.1.4
<b>C</b>		
Casting resins	1.3	3.2.1.2
Chemical anchors	5.1	3.2.2.1
Concrete admixtures (powders or liquids)	2.4.3	3.2.1.5 c)
Conductive coatings (water-based)	1.1.1	3.2.1.2
<b>D</b>		
Decoupling panels	4.3	3.2.1.8
Door seals (self-adhesive)	4.4	3.2.1.8
<b>F</b>		
Filler primers	2.6	3.2.1.3
Filling primers	2.6	3.2.1.3
Finishes (lacquers) for mineral floors (water-based)	7.1	3.2.1.7 b)
Finishes (lacquers) for resilient flooring (water-based)	7.2	3.2.1.7 c)
Finishes (oils) for mineral floors	7.3	3.2.1.7 d)
Finishing plasters for indoor applications (mineral- or dispersion-based)	8.2	3.2.3.2
Floor installation boards	4.3	3.2.1.8
Flooring adhesives (pasty, 1- or 2-component, dispersion- or reactive resin-based)	3.1	3.2.1.3
<b>G</b>		
Grouts (based on dispersions or reactive resins)	3.4	3.2.1.3
Grouts (cementitious)	2.2	3.2.1.4
<b>I</b>		
Impact sound insulation underlays	4.1	3.2.1.8
Impregnation agents <sup>1</sup> for mineral floors	7.4	3.2.1.7 b)
Insulation boards	4.3	3.2.1.8
Insulation foams	5.2	3.2.2.2.
Insulation underlays	4.1	3.2.1.8
<b>J</b>		
Joint fillers for parquet (water-based)	6.2	3.2.1.7 f)
Joint insulation materials	5.2	3.2.2.2.
Joint sealants (based on dispersions or reactive resins)	5.1	3.2.2.1
Joint sealing tapes (made of foam)	5.3	3.2.2.3

<sup>1</sup> No maintenance products.

# GEV Product Index

(Edition: 20.09.2022)



Product	Product group for application form	Chapter Testing Method
Joint sealing tapes (pre-compressed, made of foam)	5.3	3.2.2.3
<b>L</b>		
Lacquers for resilient floor coverings (100 % solids content, UV-curing)	7.6	3.2.1.7 h)
Lacquers for resilient floor coverings (water-based)	7.2	3.2.1.7 c)
Lacquers for resilient floor coverings (water-based, UV-curing)	7.5	3.2.1.7 g)
Levelling compounds (based on cement or calcium sulfate)	2.1	3.2.1.4
Levelling compounds (based on dispersions or reactive resins)	3.2	3.2.1.3
Linoleum adhesives (powders)	2.5	3.2.1.3
Liquid membranes (e.g. e.g. reactive sealants, flexible sealing compounds)	1.3	3.2.1.2
Liquid plastics for indoor applications	3.5	3.2.1.3
<b>M</b>		
Masonry mortars (cement-based)	2.2	3.2.1.4
Medium-bed mortars (cement- or mineral-based)	2.2	3.2.1.4
<b>P</b>		
Parquet adhesives (pasty, 1- or 2-component, dispersion- or reactive resin-based)	3.1	3.2.1.3
Parquet adhesives (powders)	2.5	3.2.1.3
Parquet lacquers (100 % solids content, UV-curing)	6.6	3.2.1.7 h)
Parquet lacquers and lacquers for other interior wooden floor surfaces (e.g. stairs) (water-based)	6.1	3.2.1.7 a)
Parquet lacquers (water-based, UV-curing)	6.5	3.2.1.7 g)
Parquet oils	6.3	3.2.1.7 d)
Parquet primers (water-based)	6.4	3.2.1.7 e)
Primers (reactive, filled)	3.5	3.2.1.3
Primers (reactive, filler-free, water-based, 1-component)	1.1.1	3.2.1.1
Primers (reactive, filler-free, water-free)	1.1.2	3.2.1.2
Primers (water-based, 1-component)	1.1.1	3.2.1.1
Primers (water-free)	1.1.2	3.2.1.2
Primers for parquet (water-based)	6.4	3.2.1.7 e)
<b>Q</b>		
Quick cements	2.3	3.2.1.4
<b>R</b>		
Repair fillers and mortars	2.1	3.2.1.4
Roll-on tackifiers	1.2	3.2.1.2
<b>S</b>		
Screed admixtures (powders or liquids)	2.4.3	3.2.1.5 c)
Screed binders (cement- or calcium sulfate-based)	2.4.2	3.2.1.5 b)
Screed mortars (cement- or calcium sulfate-based)	2.4.1	3.2.1.5 a)
Sealing collars	4.4	3.2.1.8
Sealing primers (water-based, 1-component)	1.1.1	3.2.1.1
Sealing primers (water-free)	1.1.2	3.2.1.2
Sealing strips and membranes	4.5	3.2.1.8
Sealing tapes (full-surface sealing)	4.4	3.2.1.8
Self-levelling synthetic resin coatings (application quantity 5 to 20 kg/m²)	3.6	3.2.1.6
Self-levelling synthetic resin coatings (application quantity up to 5 kg/m²)	3.5	3.2.1.3
Spray adhesives	1.2	3.2.1.2
Synthetic resin roll-on coatings (100 % solids content)	3.5	3.2.1.3
Synthetic resin roll-on coatings (water-based)	1.2	3.2.1.2
<b>T</b>		
Tackifiers (ready-to-use, low-viscous)	1.2	3.2.1.2
Tackifiers for floor coverings (pasty)	3.1	3.2.1.3

# GEV Product Index

(Edition: 20.09.2022)



Product	Product group for application form	Chapter Testing Method
Textured paints (100 % solids content)	3.5	3.2.1.3
Textured paints (water-based)	1.2	3.2.1.2
Thick-bed mortars (cement- or mineral-based, max. grain size 4 mm)	2.2	3.2.1.4
Thin-bed mortars (cement- or mineral-based)	2.2	3.2.1.4
Threadlocking adhesives	1.2	3.2.1.2
Tile adhesives (ready-to-use, based on dispersions or reactive resins)	3.1	3.2.1.3
Tile mortars (cement- or mineral-based)	2.2	3.2.1.4
Top coats for floor coatings (100 % solids content)	3.5	3.2.1.3
Top coats for floor coatings (water-based)	1.2	3.2.1.2
Top plasters for indoor application (mineral- or dispersion-based)	8.2	3.2.3.2
<b>U</b>		
Undercoats (water-based, 1-component)	1.1.1	3.2.1.1
Undercoats (water-free)	1.1.2	3.2.1.2
Underlays	4.1	3.2.1.8
Underlays (with adhesive coating, self-adhesive)	4.2	3.2.1.8
<b>V</b>		
Vapor retarders under the roof	4.5	3.2.1.8
<b>W</b>		
Wall filler (for thin-layer and partial applications)	8.3	3.2.3.3
Wall panels	8.4	3.2.3.4
Waterproofing slurries (cementitious, 1- and 2-component)	2.6	3.2.1.3
Waterproofing under tiles (dispersion- or reactive resin-based products)	3.3	3.2.1.3
Window sealing strips (self-adhesive)	4.4	3.2.1.8
Wood glues	1.2	3.2.1.2